



Republic of the Philippines
Department of Agriculture
PHILIPPINE RURAL DEVELOPMENT PROJECT
National Project Coordination Office
4th Floor, DA Building, Elliptical Road, Diliman
Quezon City 1100, Philippines

INVITATION TO QUOTE

SUPPLY AND DELIVERY OF 120HP TRACTOR WITH IMPLEMENTS FOR TILAPIA PRODUCTION AND MARKETING ENTERPRISES

Project Reference No. PRDP-IR-R002-ISA-032-000-000-2017

Estimated Project Cost: Php 5,040,000.00

1. The Government of the Republic of the Philippines has received a loan from the World Bank towards the cost of the Philippine Rural Development Project (PRDP) and it intends to apply part of the proceeds of this loan to payment for the cost of Name of Contract: **SUPPLY AND DELIVERY OF 120HP TRACTOR WITH IMPLEMENTS FOR TILAPIA PRODUCTION AND MARKETING ENTERPRISES**
2. The Provincial Government of Isabela hereinafter referred to as the End-User, now requests interested applicants to submit quotations for the:

Contract Name: SUPPLY AND DELIVERY OF 120HP TRACTOR WITH IMPLEMENTS FOR TILAPIA PRODUCTION AND MARKETING ENTERPRISES		
Item/Description	Quantity	Unit of Issue
120Hp Tractor with Implements Tractor Specifications: Max HP power: 120(89.5) Max Torque: 1400rpm, Rated Engine Speed: 2200, Engine Type: 4200S, No. of cylinder: 4 Capacity: 4400cc, Aspiration: Turbo, Transmission: 12x4 Side Shift, live single speed: 540rpm, IPTO Single Speed: 540rpm Cab/platform, IPTO Two Speed: 540/1000rpm, Steering: Hydrostatic, Hydraulic: 3pt. linkage-mechanical, lift capacity: 3800 max kgf. Oil flow 17 liters/min., System pressure: 210 bar, auxiliary hydraulics, Oil Flow 42 liters/min., System pressure: 170bar, Spool valves: 2 valves/1 valve Cab/ Platform, Brake Type: Oil immersed Standard wheels and tyres: 4wd 14.9-24; Rear: 18.4-34, Weights & Dimensions, Weight without Ballast,	1	unit

Cab/Platform:4600/4210kg,

Length:4630mm, Height

overexhaust:2640mm, Wheelbase:2730mm,

Capacities-Fuel tank:200liters,Engine oil:

15liter, Transmission oil: 46 liters

Accessories/implements: Backhoe

Specifications: Digging depth maximum (Flat

bottom of 24in):9' 10"Swing 180 degrees,

Loading height: 7' 10" (ft). Reach from

centerline of swing pivot: 13' 9"(ft), Bucket

curl; transport overhang from centerline of

swing pivot: 5' 6" (ft.), Backward reach from

centerline of swing: 7"(ft.) Hydraulic stabilizer

spread(up): 7' 3" (ft.), Hydraulic stabilizer

spread(down): 7' 6" (ft.), Bucket break out

force at 2500 PSI(Closing):3747lbs, Bucket

break-out force at 2500 PSI(Opening)6171lbs

Operating pressure:2400-2600psi, Operating

flow: 10-24gpm, Tractor PTO hp range:80-

100hp, Approximate weight:2,200lbs,

Joystick: yes **Trailing Harrow Specification:**

Number of Disc:20, Disc(inches):24x2 9/16,

Front Disc: plain, Back Disc: Plain Dimension

& weight-length:4970mm,

Width:2390mm,Height: 1545mm,

Weight:1430kg **Front End Loader**

Specification: Max. Lift height: 12' 4"(ft.)

Clearance w/bucket Dumped: 9' 6"(ft.), Reach

at Max.height:3' 6"(ft.) Max. dump angle: 107

degrees, Reach with bucket on ground: 7'

11"(ft.) Bucket Roll back angle:33 degrees,

Digging depth; 4inch., Overall height in carry

position:6' 4"(ft.) Rollback with loader at full

length:26 deg., lift capacity to full

height:2800lbs, lift & bucket

cylinder dia.:2 1/2 inch, Traction:2 & 4 WD

Heavy Duty Disc Plough Specs.: Horse

power required:95-120, no. of disc:5,Dia. of

disc:28 inch., Disc Spacing:530-710mm. Max

depth & width:8"-12", size of cross shaft pin;


top link:25.8mm/1 inch, lower link:28.6mm/1

1/8 inches, approximate weight:822kg.

3. All Requests for Quotations (RFQs) must be delivered in hard copies placed in a sealed envelope marked: **SUPPLY AND DELIVERY OF 120HP TRACTOR WITH IMPLEMENTS FOR TILAPIA PRODUCTION AND MARKETING ENTERPRISES Solicitation No. PRDP-IR-R002-ISA-032-000-000-2017**. All entries must be typewritten or handwritten eligibly;
4. Quotations must be delivered at the address below not later than **Aug. 30, 2018**:

BAC Office
PGSO Building, Capitol
Alibagu, City of Ilagan, Isabela

5. The procurement procedures will be conducted in accordance with the provisions of the World Bank Guidelines and taking into consideration the related provisions in the Project Loan Agreement and Guidelines in the Procurement under the IBRD loans and IDA credits.
6. The Provincial Government of Isabela reserves the right to accept or reject any quotation and to annul the procurement process or reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.


RODRIGO T. SAWIT
BAC Chairperson
Bids and Awards Committee
Provincial Government of Isabela
Telephone Number: (078)323-05-70